


Packaging Machine

Dolly



Dolly Information

Wuxi Dolly Machinery Technology Co., Ltd is a professional manufacturer which is located in Jiangsu Province, China. The company specializes in the design, production, sales, installation, and after-sales support of packaging machines. The main production is tube filling machines, box packing machines, cup & coffee capsule filling machines, bottle filling capping machines, labeling machines, bag packing machines, etc.

Our company has a professional team of engineers with extensive experience in design, production, inspection, and providing after-sales service for our equipment to ensure successful operation and obtain optimized benefits for customers in the shortest producing period and with minimal investment.

We are always offering qualified productions - technically based, practically minded, no-nonsense, transparent sourcing that is grounded on understanding the client's requirements and how high-value & low-cost sourcing can help clients strategically and maintain their competitiveness in the client's market.

Dolly staff with full vitality and energy is expecting to be your loyal partner and friends who support you in achieving success.





Contents

Tube Filling Machine.....	4
Box Packing Machine.....	7
Cup & Coffee Capsule Filling Machine.....	10
Filling Capping Machine.....	13
Labeling Machine.....	16
Sachet Packing Machine.....	18
Other Machines.....	21



Tube Filling Sealing Machine

Tube filling and sealing machine is designed to fill various types of tubes with products such as creams, ointments, gels, adhesives, and other similar substances. These machines are commonly used in industries like pharmaceuticals, cosmetics, food, and chemicals. The primary purpose of the machine is to automate the process of filling tubes with a precise amount of product and sealing them securely.

It's important to note that there are various types of tube filling and sealing machines, including semi-automatic and fully automatic models. The choice of machine depends on factors such as the production volume, the type of product, and the level of automation required.

Solutions for Packing Plastic & Aluminium Tubes



Ultrasonic Tube Filling Sealing Machine

- Model: DL-GF-U50
- Productivity: 20-35pcs/min
- Filling Range: 5-60ml, 10-120ml, 25-250ml, 50-500ml
- Tube Length: 50-250mm (customized)
- Tube Diameter: 10-50mm (change molds)
- Hopper Capacity: 30L
- Filling Accuracy: $\pm 1\%$
- Ultrasonic Power: 2KW
- Voltage: AC110/220V, 50/60Hz
- Driven Mode: Pneumatic
- Machine Dimension: L900*W1100*H1600mm
- Machine Weight: 350KGS




Semi Automatic Tube Filling Sealing Machine

- Model: DL-GF-50
- Productivity: 20-30pcs/min
- Filling Range: 5-50ml, 50-250ml
- Tube Length: 50-200mm (customized)
- Tube Diameter: 10-50mm (change molds)
- Hopper Capacity: 40L
- Filling Accuracy: $\pm 1\%$
- Power: 0.75KW
- Voltage: AC110/220V, 50/60Hz
- Compressed Air: 0.55-0.65MPa
- Machine Dimension: L1000*W780*H1450mm
- Machine Weight: 250KGS



Automatic Tube Filling Sealing Machine

- Model: DL-GF-50
- Productivity: 20-30pcs/min
- Filling Range: 5-50ml, 50-250ml
- Tube Length: 50-200mm (customized)
- Tube Diameter: 10-50mm (change molds)
- Hopper Capacity: 40L
- Filling Accuracy: $\pm 1\%$
- Power: 0.75KW
- Voltage: AC110/220V, 50/60Hz
- Compressed Air: 0.55-0.65MPa
- Machine Dimension: L1200*W1000*H1500mm
- Machine Weight: 280KGS




DL-GF-80 Tube Filling Sealing Machine



- Model: DL-GF-80
- Productivity: 40-60pcs/min
- Filling Range: 5-250ml
- Tube Length: 50-210mm (customized)
- Tube Diameter: 13-50mm (change molds)
- Hopper Capacity: 30L
- Filling Accuracy: $\pm 1\%$
- Power: 3KW
- Voltage: AC220V/50Hz, 380V/60Hz
- Compressed Air: 0.5-0.6MPa
- Machine Dimension: L2620*W1236*H1980mm
- Machine Weight: 1100KGS

DL-GF-100 Automatic Tube Filling Sealing Machine



- Model: DL-GF-100
- Productivity: 60-80pcs/min
- Filling Range: 5-50ml, 50-250ml
- Tube Length: 50-230mm (customized)
- Tube Diameter: 11-38mm (change molds)
- Hopper Capacity: 50L
- Filling Accuracy: $\pm 1\%$
- Power: 1.5KW, 7.5KW
- Voltage: AC380V/220V, 50Hz/60Hz
- Compressed Air: 0.55-0.65MPa
- Machine Dimension: L2170*W1100*H2100mm
- Machine Weight: 1300KGS

DL-GF-160 Automatic Tube Filling Sealing Machine



- Model: DL-GF-160
- Productivity: 100-120pcs/min
- Filling Range: 2-200ml (change different molds)
- Tube Length: 230mm (The Max.)
- Tube Diameter: 11-50mm (change different molds)
- Hopper Capacity: 50L
- Filling Accuracy: $\pm 1\%$
- Power: 3.3KW, 6.5KW
- Voltage: AC380V/220V, 50Hz/60Hz
- Compressed Air: 0.85-0.95MPa
- Machine Dimension: L3147*W1555*H2267mm
- Machine Weight: 3800KGS




Box Packing Machine - Cartoning Machine

Dolly designs and manufactures cartoning machines for a wide range of industries, including pharmaceuticals, nutraceuticals, medical devices, food, beverage, personal care, cosmetic, household, and industrial markets.

Our automatic carton box packing machines are suitable for pharmaceuticals, cosmetics, food, chemicals, hardware, and electrical industries for the packaging of tubes, soaps, blisters, bottles, vials, jars, pillow packs, etc. It can fold leaflets, open cartons, insert the products and leaflets into cartons, emboss, tuck-in, or hot-melt closures and automatically discharge cartons. Our box packing machine capacities ranging from 60 to 200 boxes/minute are available to meet today's box packaging demands in different industries.


Solutions for Packing Boxes

Semi-Auto Vertical Box Packing Machine




- Model: DL-ZH-50
- Productivity: 20-50pcs/min
- Paper Box's Largest Size: 200*80*80mm
- Paper Box's Smallest Size: 60*20*20 mm
- Paper Quality of Box: 250-350g/m³
- Motor Power: 1.5KW/H
- Power Supply: 220V, 50/60HZ
- Machine Noise: ≤80dB
- Gas Source: 0.5-0.8 MPa
- Compress Air Consumption: 260L/min
- Machine Dimension: L1100*W1500*H 1700 mm
- Machine Weight: 450KGS

Automatic Vertical Box Packing Machine



- Model: DL-ZH-50
- Productivity: 20-50pcs/min
- Paper Box's Largest Size: 200*80*80mm
- Paper Box's Smallest Size: 60*20*20 mm
- Paper Quality of Box: 250-350g/m³
- Motor Power: 1.5KW/H
- Power Supply: 220V, 50/60HZ
- Machine Noise: ≤80dB
- Gas Source: 0.5-0.8 MPa
- Compress Air Consumption: 260L/min
- Machine Dimension: L1100*W1500*H 1700 mm
- Machine Weight: 450KGS

DL-ZH-80 Box Packing Machine



- Model: DL-ZH-80
- Productivity: 40-80pcs/min
- Box Size Range: L(49-120)mm*W (30-80) mm*H(14-50)mm
- Box Paper Requirements: 250-350g/m²
- Motor Power: 1.5KW
- Power Supply: 220V/380V/50Hz/60Hz
- Compressed Air: 0.6MPa
- Air Consumption: 50-70L/min
- Machine Noise: ≤80dB
- Machine Dimension: L1300*W1200*H1500mm
- Machine Weight: 950KGS



DL-ZH-100 Box Packing Machine



- Model: DL-ZH-100
- Productivity: 60-80pcs/min
- Box Size Range: L(55-220)mm*W(20-120)mm*H(12-70)mm
- Box Paper Requirements: 250-350g/m²
- Instructions Size Range: L(100-260)mm×W(100-190)mm
- Manual Paper-Based Requirements: 55-70g/m³
- Motor Power: 1.5KW
- Power Supply: 220V/380V/50Hz/60Hz
- Gas Source: 0.5-0.8MPa
- Air Consumption: 120-160L/min
- Machine Dimension: L3500*W1500*H1600mm
- Machine Weight: 1200KGS

DL-ZH-120 Box Packing Machine



- Model: DL-ZH-120
- Productivity: 80-120pcs/min
- Box Size Range: L(55-220)mm*W(20-120)mm*H(12-70)mm
- Box Paper Requirements: 250-350g/m²
- Instructions Size Range: L(100-260)mm×W(100-190)mm
- Manual Paper-Based Requirements: 55-70g/m³
- Motor Power: 1.5KW
- Power Supply: 220V/380V/50Hz/60Hz
- Gas Source: 0.5-0.8MPa
- Air Consumption: 120-160L/min
- Machine Dimension: L3500*W1500*H1600mm
- Machine Weight: 1400KGS

DL-ZH-200 Box Packing Machine



- Model: DL-ZH-200
- Productivity: 120-150pcs/min
- Box Size Range: L(70-200)*W(35-75)*H(15-70)mm
- Box Paper Requirements: 250-350g/m²
- Instructions Size Range: L(80-250)mm*W(90-170)mm
- Manual Paper-Based Requirements: 60-70g/m²
- Motor Power: 5KW
- Power Supply: 380V/50Hz
- Gas Source: ≥0.6MPa
- Air Consumption: 120-160L/min
- Machine Dimension: L4800*W1600*H1860mm
- Machine Weight: 3000KGS



Cup & Coffee Capsule Filling Sealing Machine

Dolly provides multiple filling and sealing options for packaging products like coffee capsules, tea capsules, water capsules, yogurt, honey, water, ice cream, sauce, ketchup, fruit juice, seasoning, whipped cream, nuts, snacks cups, and more.

Our cup and coffee capsule filling and sealing machine solutions offer a range of capacity, footprint, and configuration options, with filling abilities from 600 to 10000 cups/hour output.

We also provide empty coffee capsules, cups, filters, films, and lids for your option.



Automatic Rotary Type Cup Filling Sealing Machine



Model	DL-CFS-1	DL-CFS-2
Productivity	800cups/h	800cups/h
Filling Head	1 Filling Nozzle	2 Filling Nozzles
Cup Diameter	30-120mm (Customized)	
Filling Accuracy	±1%	
Filling Volume	50-300ml (Customized)	
Tank Capacity	40L	
Gas Consumption	0.6m³/min	
Power	2KW	
Voltage	220V / 50Hz	
Machine Dimension	L1250*W1250*H1650mm (for reference only)	
Machine Weight	250KGS (for reference only)	
Main Function	<ul style="list-style-type: none"> - Automatic Cup Dropping - Automatic Filling - Automatic Foil Suck - Automatic Sealing - Auto Cup Exiting 	

Automatic Linear Type Cup Filling Sealing Machine



Model	DL-CFS-4	DL-CFS-6	DL-CFS-8	DL-CFS-10
Productivity	3000-4000 cups/h	5000-6000 cups/h	7000-8000 cups/h	9000-10000 cups/h
Filling Head	4 Nozzles	6 Nozzles	8 Nozzles	10 Nozzles
Cup Diameter	30-120mm	30-120mm	30-120mm	30-120mm
Filling Accuracy	±1%	±1%	±1%	±1%
Filling Volume	50-300ml	50-300ml	50-300ml	50-300ml
Gas Consumption	0.6m³/min	0.7m³/min	0.8m³/min	0.9m³/min
Power	3.5KW	5KW	6KW	7.5KW
Voltage	220V / 50Hz	220V / 50Hz	220V / 50Hz	220V / 50Hz
Machine Dimension (L*W*H/mm)	3300*710*1700	3800*850*1700	3800*710*1700	4000*800*1700
Machine Weight	700KGS	800KGS	1000KGS	1200KGS
Main Function	<ul style="list-style-type: none"> - Automatic Cup Dropping - Automatic Filling - Automatic Foil Suck - Automatic Sealing - Auto Cup Exiting 			

Other speeds and filling heads also can be customized.



Automatic Rotary Coffee Capsule Filling Sealing Machine



Model	DL-NCFS-1, DL-KCFS-1	DL-NCFS-2, DL-KCFS-2
Productivity	600-800cups/h	1200-1600cups/h
Filling Head	1 Filling Nozzle	2 Filling Nozzles
Cup Diameter	35-105mm (replace the cup holder)	
Filling Accuracy	±1%	
Filling Volume	5-50g (replace filling pump)	
Tank Capacity	30L	
Gas Consumption	0.6m³/min	
Power	2KW	
Voltage	AC220V/380V, 50Hz/60Hz	
Machine Dimension	L1250*W1250*H1650mm (for reference only)	
Machine Weight	250KGS (for reference only)	
Main Function	<ul style="list-style-type: none"> - Auto Coffee Capsule Dropping - Automatic Filling - Automatic Foil Suck - Automatic Sealing - Auto Coffee Capsule Exiting 	

Automatic Linear Coffee Capsule Filling Sealing Machine



Model	DL-NCFS-4	DL-NCFS-6	DL-NCFS-8	DL-NCFS-10
	DL-KCFS-4	DL-KCFS-6	DL-KCFS-8	DL-KCFS-10
Productivity	3000-4000 cups/h	4000-5000 cups/h	5000-6000 cups/h	6000-7000 cups/h
Filling Head	4 Nozzles	6 Nozzles	8 Nozzles	10 Nozzles
Cup Diameter	35-105mm	35-105mm	35-105mm	35-105mm
Filling Accuracy	±1%	±1%	±1%	±1%
Filling Volume	5-30ml	5-30ml	5-30ml	5-30ml
Gas Consumption	0.65m³/min	0.68m³/min	0.70m³/min	0.73m³/min
Power	4KW	4.5KW	5KW	5.5KW
Voltage	220V / 50Hz	220V / 50Hz	220V / 50Hz	220V / 50Hz
Machine Dimension (L*W*H/mm)	3500*800*1750	3500*1100*1750	3900*800*1750	3900*1100*1750
Machine Weight	800KGS	900KGS	950KGS	1000KGS
Main Function	<ul style="list-style-type: none"> - Auto Coffee Capsule Dropping - Automatic Filling - Automatic Foil Suck - Automatic Sealing - Auto Coffee Capsule Exiting 			

Other speeds and filling heads also can be customized.



Bottle & Jar Filling Capping Machine

Bottle Filling Capping Machine is a piece of industrial equipment used in various industries to automate the process of filling bottles with liquid products and sealing them with caps or closures. This type of machine is commonly used in the pharmaceutical, food and beverage, cosmetics, and chemical industries, among others, to streamline the packaging process and ensure efficiency and consistency in filling and capping bottles.

The machine performs automatic filling, automatic capping, and automatic screw capping. It is equipped with PLC control, allowing functions such as no bottle no filling, no cap no capping, as well as continuous stoppage and rejection of defective products due to missing caps.

Solutions for Packing Bottles & Jars

Liquid Bottle Filling Capping Machine



- Model: DL-GX-50
- Productivity: 30-70pcs/min
- Filling Capacity: 5-50ml (replace filling pump)
- Filling Heads: 1/2/customized
- Filling Accuracy: $\pm 1\%$
- Capping Rate: $\geq 99\%$
- Capping Type: ROPP/ Screw
- Power: 3KW
- Voltage: 380V / 50Hz
- Gas Consumption: 0.6m³/min
- Machine Dimension: L2500*W1450*H1650mm (for reference only)
- Machine Weight: 600KGS (for reference only)

Cream Jar Filling Capping Machine



- Model: DL-GX-50
- Productivity: 20-40bottles/min
- Filling Capacity: 10-50ml, 50ml-100ml, 100-150ml
- Filling Heads: 1/2/customized
- Filling Accuracy: $\pm 1\%$
- Capping Rate: $\geq 99\%$
- Capping Type: ROPP/ Screw
- Power: 3KW
- Voltage: 380V / 50Hz
- Gas Consumption: 0.6m³/min
- Machine Dimension: L2500*W1450*H1650mm (for reference only)
- Machine Weight: 600KGS (for reference only)

Powder Filling Capping Machine



- Model: DL-GX-50
- Productivity: 20-50 bottles/min
- Filling Capacity: 2-500g
- Filling Accuracy: $\pm 1\%$
- Capping Rate: $\geq 99\%$
- Capping Type: ROPP/ Screw
- Filling Method: Auger Filling
- Power: 3KW
- Voltage: 380V / 50Hz
- Gas Consumption: 0.6m³/min
- Machine Dimension: L2000*W1000*H1600mm (for reference only)
- Machine Weight: 500KGS (for reference only)




Linear Bottle Filling Capping Machine



- Model: DL-GX-4, DL-GX-6, DL-GX-8
- Productivity: About 1500-2500 bottles per hour
- Filling Capacity: 5-300ML
- Filling Heads: 4, 6, 8 or customized
- Filling Accuracy: $\pm 2\%$
- Capping Rate: $\geq 98\%$
- Capping Type: ROPP/ Screw
- Power: 2KW
- Voltage: 380V / 50Hz
- Gas Consumption: 0.6m³/min
- Machine Dimension: L2500*W1300*H1600mm (for reference only)
- Machine Weight: 800KGS (for reference only)

Linear Bottle Filling Machine




- Model: DL-BG-4, DL-BG-6, DL-BG-8, DL-BG-10, DL-BG-12
- Productivity: About 600-4000BPH
- Filling Capacity: 10-100, 30-300, 50-500, 100-1000, 500-2500, 1000-5000ML
- Filling Heads: 4, 6, 8, 10, 12 or customized
- Suitable Bottle Size: Dia.250mm, H: 90-320mm
- Power: 2KW
- Voltage: 380V / 50Hz
- Gas Consumption: 0.3-0.8m³/min
- Air Pressure: 0.5-0.7MPa
- Machine Dimension: Depends on the machine
- Machine Weight: Depends on the machine
- Botlle Material: PP, PE, PVC, glass bottles, and mold bottles

Bottle & Jar Capping Machine



- Model: DL-BX-500
- Productivity: 0-8000bottles/h
- Applicable Bottle Dia: $\Phi 18-65\text{mm}$
- Applicable Cover: $\Phi 18-50\text{mm}$
- Capping Type: ROPP/ Screw
- Capping Rate: $\geq 98\%$
- Power: 2.2KW
- Voltage: 220V / 50Hz
- Air Pressure: 0.4-0.6MPa
- Machine Dimension: L2000*W850*L2050mm (for reference only)
- Machine Weight: 650KGS (for reference only)



Fully Automatic Bottle Labeling Machine

Bottle labeling machine is a piece of industrial equipment used to apply labels to bottles or other containers. It is commonly used in industries such as food and beverage, pharmaceuticals, cosmetics, and more. The primary purpose of a bottle labeling machine is to accurately and efficiently affix labels to bottles as they move along a production line.

Dolly manufactures automatic industrial labeling machines to label every type of container for all industries (food, beer, cosmetics, eyedrop, spray, e-liquid, etc.)



Round Bottle Labeling Machine



- Model: DL-LB-RB
- Labeling Speed: 60-80pcs/min
- Labeling Accuracy: ± 1 mm
- Container Size: $\Phi 20$ -100mm Height: 30-260mm (Customized)
- Label Size: Length :10-300mm, Height:10-140mm (Customized)
- Label Roll Diameter: Inner: $\phi 76$ mm, Outer: $\phi 350$ mm
- Bottle Material: Plastic, Glass, Metal, etc.
- Bottle Shapes: Round Bottles
- Voltage: 220V/50Hz
- Power: 1KW
- Machine Dimension: L2000*W1000*H900mm
- Machine Weight: 200KGS

Double Side Labeling Machine



- Model: DL-LB-DS
- Labeling Speed: 60-120pcs/min
- Object Size: 30-280mm(H), 30-100mm(W)
- Label Size: 25-300mm(L), 20-180mm(W)
- Roll Size: 76mm(Inside), 300mm(Outside)
- Labeling Precision: ± 1 mm
- Voltage: AC110/220V, 50/60Hz
- Power: 2KW
- Bottle Feeder: Included
- Bottle Material: Plastic, Glass, Metal, etc.
- Machine Dimension: L2400*W1450*H1360mm
- Machine Weight: 500KGS

Shrink Sleeve Labeling Machine



- Model: DL-LB-SL
- Labeling Speed: 12000pcs/hour
- Object Size: $\phi 25$ - $\phi 200$ mm
- Label Size: 0.035-0.08mm(Thickness), 30-250mm(Height)
- Labeling Precision: ± 1 mm
- Suitable For: Various Bottles & Jars
- Voltage: AC380V, 50/60Hz
- Power: 15KW
- Bottle Feeder: Included
- Machine Dimension: L7000*W1000*H2000mm
- Machine Weight: 650KGS



Automatic Bag & Sachet Packing Machine

A VFFS machine or Vertical Form Fill Seal machine is a piece of equipment used in the packaging industry to efficiently and automatically package small quantities of various products, such as powders, granules, liquids, and semi-liquids, into small, sealed sachets or pouches. Vertical sachet packing machines are commonly used in industries like food and beverage, pharmaceuticals, cosmetics, and chemicals.

An HFFS machine or Horizontal Form Fill Seal machine is suitable for two-sided seal packing and three-sided seal packing. Always used for packing bread, chocolate, sweets, biscuits, lollipops, cards, wet tissue, spoons, toothbrushes, soap, syringes, hardware, etc.

Solutions for Packing Sachets & Bags



Powder & Granule Sachet Packing Machine

- Model: DL-VFFS-30
- Packing Material: Powder, Granule
- Packing Speed: 15-25bags/min
- Packing Weight: 2-50g
- Packing Accuracy: $\pm 0.1g$ (depends on the material)
- Bag Length: 5-16.5cm
- Bag Width: 4-8cm
- Sealing Type: 3-Side Sealing / Back Sealing
- Function: Bag Forming + Filling + Sealing
- Voltage: 220V, 50Hz, 350W (110V can be customized)
- Machine Dimension: L620*W520*H1400mm
- Machine Weight: 60KGS



Paste Sachet Packing Machine

- Model: DL-VFFS-30
- Packing Material: Paste, Liquid
- Packing Speed: 10-20bags/min
- Packing Volume: 10-200ML
- Film Width: 16cm/12.5cm (can be customized)
- Sealing Type: 3-Side Sealing / Back Sealing
- Function: Bag Forming + Filling + Sealing
- Voltage: 220V, 50Hz (110V can be customized)
- Power: 400W
- Machine Material: Stainless Steel
- Machine Dimension: L540*W1170*H1330mm
- Machine Weight: 98KGS



Liquid Sachet Packing Machine

- Model: DL-VFFS-30
- Packing Material: Liquid
- Packing Speed: 10-20bags/min
- Packing Volume: 3-200ML (depends on the material)
- Packing Accuracy: $\pm 0.1g$ (depends on the material)
- Bag Size: 8cm*(0-16cm)
6.25cm*(0-10cm)
- Sealing Type: 3-Side Sealing / Back Sealing
- Function: Bag Forming + Filling + Sealing
- Voltage: 220V, 50Hz, 350W (110V can be customized)
- Machine Dimension: L450*W440*H1430mm
- Machine Weight: 60KGS



Pillow Bag Packing Machine - HFFS250



- Model: DL-HFFS-250
- Productivity: 40-250pcs/min
- Sealing Method: Rotary End Sealing
- Packing Type: Pillow Type
- Film Width: 250-1050mm
- Bag Width: 30-480mm
- Bag Height: 35-180mm
- Power: 2.6KW
- Voltage: 220V 50/60Hz
- Machine Dimension: L4150*W720*H1450mm
- Machine Weight: 600KGS

Pillow Bag Packing Machine - HFFS350



- Model: DL-HFFS-350
- Productivity: 40-220pcs/min
- Sealing Method: Rotary End Sealing
- Packing Type: Pillow Type
- Packing Range: L: 50-330mm, W: 10-200mm, H: 5-50mm
- Max Width of Film: 350mm
- Power: 2.7KW
- Voltage: 220V 50/60Hz
- Compressed Air Pressure: 0.5-0.7MPa
- Compressed Air Consumption: >0.36 (m3/h)
- Machine Dimension: L4200*W850*H1500mm
- Machine Weight: 650KGS

Pillow Bag Packing Machine - HFFS450



- Model: DL-HFFS-450
- Productivity: 30-180pcs/min
- Max Width of Film: 450mm
- Bag Length: 150-450mm
- Bag Width: 50-180mm
- Products Height: Max.75MM
- Power: 2.8KW
- Voltage: 220V 50/60Hz
- Compressed Air Pressure: 0.5-0.7MPa
- Compressed Air Consumption: >0.36 (m3/h)
- Machine Dimension: L4200*W950*H1500mm
- Machine Weight: 700KGS

Other Packaging Machines

Bottle Turntable



Bottle Unscrambler



Bottle Washing Machine



Coding Machine



Cellophane Wrapping Machine



Shrink Wrapping Machine



Case Sealing Machine



Strapping Machine



Hydraulic Baler





Dolly forward to building cost-effective, and sustainable packaging solutions solutions for your business!

WE INVITE YOU TO CONTACT US

**WUXI DOLLY MACHINERY
TECHNOLOGY CO., LTD.**

www.dollypack.com
info@dollypack.com
+86 17715423609